Date: 2022.12.31

Section 1. Identification of the substance/mixture and of the company/undertaking

Product Name RPVOT Reference Oil – (QMR)

Recommended Use: Oxidation stability measurement equipment calibration and performance

verification reference standard.

Tannas Company/Savant Tech (a division of Savant, Inc.) Supplier:

> 4800 James Savage Rd. Midland, MI 48642 USA

Emergency Phone: 989-496-2301 989-496-3438 Fax:

Section 2. Hazards identification

GHS Classification: This material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200)

GHS Label Elements

None **Hazard pictograms:**

Signal Word: No Signal word.

Hazard Statement: No known significant effects or critical hazards.

Precautionary Statements

Prevention: Not applicable. Not applicable. Response: Not applicable. Storage: Disposal: Not applicable. Other Hazards: None known.

Section 3. Composition/information on ingredients

Substance/Mixture: Substance

Chemical Name: Distillates (petroleum), solvent-dewaxed paraffinic

Other means of Base oil – unspecified; Distillates, petroleum, solvent-dewaxed heavy **Identification:** paraffinic; Mineral oil, petroleum distillates, solvent-dewaxed heavy

paraffinic; Distillates (petroleum), solvent-dewaxed paraffinic; Base

oil - unspecified; Paraffin oil

CAS number/other

64742-65-0

Identifiers:

Chemical Name	CAS-No	Weight %
Distillates (petroleum), solvent-dewaxed heavy paraffini	64742-65-0	>99%

Date: 2022.12.31

Section 4. First aid measures

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower Eye contact:

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

Inhalation: Remove person to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Ingestion: Wash out mouth with water. Remove person to fresh air and keep at rest in a position

> comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed

to do so by medical personnel. Get medical attention if symptoms occur.

Most Important Symptoms/Effects:

No known significant effects or critical hazards

Indication of immediate medical attention and special treatment needed:

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled

Section 5. Fire-fighting measures

Extinguishing media

Suitable Extinguishing Media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet.

Special exposure hazards arising

from mixture:

In a fire or if heated, a pressure increase will occur and the

container may burst.

Special protective equipment for

fire-fighters:

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-

piece operated in positive pressure mode.

Date: 2022.12.31

Section 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding area. Keep necessary and unprotected personnel from entering. Do not touch or walk-through spilled material. Put on appropriate personal protective equipment.

Methods and materials for containment and cleaning up:

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

Environmental Precautions:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 7. Handling and storage

Precautions for Safe Handling:

Put on appropriate personal protective equipment (see Section 8).

Advice in general, occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for Safe Storage:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Date: 2022.12.31

5mg/m3

Section 8. Exposure controls/personal protection

Occupational Exposure Limits:

OSHA		
Component	Туре	Value
Distillates (petroleum), solvent-dewaxed heavy paraffinic	PEL	5mg/m3
ACGIH		
Component	Туре	Value
Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA	5mg/m3
NIOSH		
Component	Туре	Value
Distillates (petroleum), solvent-dewaxed heavy paraffinic	STEL	10mg/m3

Appropriate Engineering Controls: Good general ventilation should be sufficient to control

worker exposure to airborne contaminants.

Individual Protection Measures, such as Personal Protective Equipment:

Eye/Face Protection: Safety eyewear complying with an approved standard

should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

TWA

Hand Protection: Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when

handling chemical products if a risk assessment indicates this

is necessary.

Skin and Body Protection: Personal protective equipment for the body should be

selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Respiratory Protection: Use a properly fitted, air-purifying or air-fed respirator

complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product, and the safe working limits of the selected

respirator.

General Hygiene Considerations: Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate

techniques should be used to remove potentially

contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers

are close to the workstation location.

Date: 2022.12.31

Section 9. Physical and chemical properties

AppearanceAmberPhysical StateLiquid

OdorHydrocarbon-likeOdor Threshold:Not AvailablepH:Not Available

Melting/Freezing Point: NA

Initial Boiling Point: (>)316°C (600°F)

Flash Point: (>) 421°F minimum ASM D92 (216°C)

Evaporation Rate: ND

Flammability (solid,gas): Not Available

Upper/Lower Flammability or Explosive Limits

Flammability Limit

Lower %: Not Available Upper %: Not Available

Explosive Limit

Lower %: Not Available Upper %: Not Available

Vapor Pressure:<0.01</td>Vapor Density:>2Relative Density:NASolubility (water):Nil

Partition Coefficient

(n-octanol/water):2 to 6Auto-ignition Temperature:Not AvailableDecomposition Temperature:Not Available

Viscosity: NA

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this

product or its ingredients.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to Avoid: High temperatures and open flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: May produce oxides of carbon.

Section 11. Toxicological information

Information on Likely Routes of Exposure

Inhalation Breathing mineral oil mists at levels above TLV may cause

respiratory irritation and possible discomfort. Acute aspiration of large amounts of oil-laden material may

Date: 2022.12.31

produce a serious aspiration pneumonia. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs that may progress to pulmonary fibrosis. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause

pulmonary abnormalities

Eye Contact May cause minor eye irritation.

Skin Contact Material expected to cause no more than minor skin

irritation following prolonged or repeated contact.

Ingestion Not expected to be acutely toxic by ingestions. Abdominal

discomfort, nausea and diarrhea may occur.

Symptoms Related to the Physical,

Chemical and Toxicological

Characteristics:

Eye contact:Inhalation:
No specific data.
No specific data.

Information on Toxicological Effects

Acute Toxicity: Not applicable.

Skin Corrosion / Irritation: Not applicable.

Serious Eye Damage / Eye Not applicable.

Irritation:

Respiratory or Skin Sensitization

Respiratory Sensitization:Not available.Skin Sensitization:Not available.Mutagenicity:Not available.

Carcinogenicity: No known significant effects or critical hazards.

Reproductive Toxicity:No known significant effects or critical hazards. **Specific Target Organ Toxicity**No known significant effects or critical hazards.

- Single Exposure

Specific Target Organ ToxicityNo known significant effects or critical hazards.

- Repeated Exposure

Aspiration Hazard No known significant effects or critical hazards.

Chronic Effects No known significant effects or critical hazards.

Section 12. Ecological information

Ecotoxicity: Not expected to be harmful to aquatic organisms.

Persistence and Degradability: Not available.

Bio accumulative Potential: No information available.

Mobility in Soil: No available.

Other Adverse Effects: No known significant effects or critical hazards.

Date: 2022.12.31

Section 13. Disposal considerations

Disposal Instructions:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities, with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. The material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

DOT: Not regulated as dangerous goods. **IMDG:** Not regulated as dangerous goods.

Section 15. Regulatory information

U.S. Federal Regulations: This material is listed or exempted.

United States Inventory: This material is listed or exempted.

(TSCA 8b)

Section 16. Other information

Issuing Date: 2015 August 17th SDS Revision Date: 2022 December 31st

Revision Note: Date Extension- Review Completed

This safety data sheet compiles with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EU) No. 1907/2006

General Disclaimer

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, **SAVANTECH or Savant, Inc.** extend no warranties, make no representations and assume no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

End of Safety Data Sheet