Date: 2023.11.15

Section 1. Identification of the substance/mixture and of the company/undertaking

Product Name TEOST® MHT Reference Oil – HDF -4

Recommended Use: Calibration and performance verification reference standard for high

temperature deposit equipment.

Supplier: Tannas Company/Savant Tech (a division of Savant, Inc.)

4800 James Savage Rd. Midland, MI 48642 USA

Emergency Phone: 989-496-2301

Section 2. Hazards identification

GHS Classification: This material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200)

GHS Label Elements

Hazard pictograms: None

Signal Word: No Signal word.

Hazard Statement: No known significant effects or critical hazards.

Precautionary Statements

Prevention:Not applicable.Response:Not applicable.Storage:Not applicable.Disposal:Not applicable.Other Hazards:None known.

Section 3. Composition/information on ingredients

Substance/Mixture: Substance

Chemical Name: Distillates (petroleum), solvent-dewaxed paraffinic

Other means of Base oil – unspecified; Distillates, petroleum, solvent-dewaxed heavy paraffinic; Mineral oil, petroleum distillates, solvent-dewaxed heavy

paraffinic; Distillates (petroleum), solvent-dewaxed paraffinic; Base

oil – unspecified; Paraffin oil

CAS number/other

64742-65-0

Identifiers:

Date: 2023.11.15

Chemical Name	CAS-No	Weight %
Highly Refined Mineral Oil	64742-54-7	~90-100%
Lubricant Additives	Mixture	~0-10%
Hydro treated Paraffinic Base Oil	64742-58-1 and/or 64742-62-7	>99%

Section 4. First aid measures

Eye contact: Flush with water for 15 minutes. If irritation continues, contact a physician.

Skin contact: Wash skin thoroughly with soap and water. Launder soiled clothing. If irritation

continues, contact a physician.

Inhalation: Although inhalation of this material is unlikely, if respiratory discomfort occurs or irritation

develops due to inhalation of oil mist, move person to fresh air. If persistent irritation

occurs, obtain medical attention.

Ingestion: If material is swallowed, give 2 glasses of water and DO NOT induce vomiting. Contact a

physician.

Section 5. Fire-fighting measures

Extinguishing media

Suitable Extinguishing Media: Carbon dioxide, dry chemical, foam, water fog.

Unsuitable Extinguishing Media: Water spray or stream.

Special exposure hazards arising

from mixture:

None in particular.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus and full

protective gear.

Special protective equipment for

fire-fighters:

Date: 2023.11.15

Section 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has

been completed.

Methods and materials for containment and cleaning up:

Absorb large spills with commercially available absorbent materials such as absorbent clay, sand, silica gel, acid binder, universal binder,

sawdust, etc.

Environmental Precautions: Prevent spreading over a wide area by containment or oil barriers. Do

not let product enter drains. Do not flush into surface water or sanitary

sewer system.

Section 7. Handling and storage

Precautions for Safe Handling: Minimize breathing vapor, mist or fumes.

Avoid prolonged or repeated contact with skin.

Cleanse skin thoroughly after contact, before breaks and meals, and at

the end of the work period.

Product is readily removed from skin by washing thoroughly with soap

and water.

Advice in general, occupational

hygiene:

Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage: Keep containers closed when not in use and store in a cool, dry, well-

ventilated area.

Do not handle or store near heat, sparks, flame or strong oxidants.

Section 8. Exposure controls/personal protection

Occupational Exposure Limits:

Substance Name	<u>Form</u>	<u>Limit/Standard</u>		Source
Highly Refined Mineral Oil	Mist	TWA	5 mg/M3	ACGIH
			TWA	
			ACG1H	
Lubricant Additives	Inhalation fraction	TWA		
Hydro treated Paraffinic Base Oil		TWA	5mg/M3	ACGIH
			TWA	
			ACG1H	

Date: 2023.11.15

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas.

Individual Protection Measures, such as Personal Protective Equipment:

Eye/Face Protection: Use splash goggles or face shield when eye contact may occur.

Hand Protection: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical

products if a risk assessment indicates this is necessary.

Skin and Body Protection: Use chemical-resistant apron or other impervious clothing, if

needed, to avoid prolonged exposure or repeated skin contact.

Respiratory Protection: If exposure exceeds TLV, use appropriate NIOSH approved

respiratory protection.

General Hygiene Considerations: Wash hands, forearms and face thoroughly after handling chemical

> products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Section 9. Physical and chemical properties

Amber **Appearance** Liquid **Physical State**

Odor Slight Hydrocarbon **Odor Threshold:** Not Available Not Available

Melting/Freezing Point: NA

Initial Boiling Point: Not Available

(>) 390°F / minimum ASTM D92 (199°C) Flash Point:

Evaporation Rate:

Flammability (solid,gas): Not Available

Upper/Lower Flammability or Explosive Limits

Flammability Limit

:Ha

Lower %: Not Available Not Available **Upper %:**

Explosive Limit

0.9 Lower %: **Upper %:** 7.0 Vapor Pressure: < 0.01 Vapor Density: >1

Relative Density: Not Available Solubility (water): Not Available **Partition Coefficient** Not Available (n-octanol/water): Not Available **Auto-ignition Temperature:** Not Available **Decomposition Temperature:** Not Available

Viscosity: NA

Date: 2023.11.15

Section 10. Stability and reactivity

Reactivity: Not reactive under normal conditions.

Chemical Stability: Stable.

Possibility of Hazardous

Reactions:

None under normal processing.

Conditions to Avoid: High temperatures and open flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition

Products:

May produce oxides of carbon.

Section 11. Toxicological information

Information on Likely Routes of Exposure

Inhalation Breathing mineral oil mists at levels above TLV may cause respiratory irritation

and possible discomfort. Acute aspiration of large amounts of oil-laden material may produce a serious aspiration pneumonia. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs that may progress to pulmonary fibrosis. Inhalation exposure to oil mists

below current workplace exposure limits is unlikely to cause pulmonary

abnormalities

Eye Contact May cause minor eye irritation.

Skin Contact Material expected to cause no more than minor skin irritation following

prolonged or repeated contact.

Ingestion Not expected to be acutely toxic by ingestions. Abdominal discomfort, nausea

and diarrhea may occur.

Symptoms Related to the

Physical,

Chemical and Toxicological

Characteristics:

Eye contact: No specific data. **Inhalation:** No specific data.

Information on Toxicological Effects

Acute Toxicity: Not applicable.

Skin Corrosion / Irritation: Not applicable.

Serious Eye Damage / Eye Not applicable.

Irritation:

Respiratory or Skin

Sensitization

Respiratory Sensitization: Not available.

Date: 2023.11.15

Skin Sensitization: Not available.

Mutagenicity: Not available.

Carcinogenicity: No known significant effects or critical hazards.

Reproductive Toxicity: No known significant effects or critical hazards. **Specific Target Organ** No known significant effects or critical hazards.

Toxicity

- Single Exposure

Specific Target Organ No known significant effects or critical hazards.

Toxicity

- Repeated Exposure

Aspiration Hazard No known significant effects or critical hazards.

Chronic Effects No known significant effects or critical hazards.

Section 12. Ecological information

Ecotoxicity: Not expected to be harmful to aquatic organisms.

Persistence and Not available.

Degradability:

Bio accumulative Potential: Base oil component-Expected to be inherently biodegradable.

Mobility in Soil: Base oil component-Low solubility and floats and is expected to migrate from

water to the land. Expected to partition to sediment and wastewater solids.

Other Adverse Effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal Instructions: Place contaminated material in disposable containers and bury in an approved

landfill site per local, state and federal regulations.

Contaminated Packaging Empty containers should be taken to an approved

waste handling site for recycling or disposal.

Section 14. Transport information

DOT: Not regulated as dangerous goods. **IMDG:** Not regulated as dangerous goods.

Date: 2023.11.15

Section 15. Regulatory information

U.S. Federal Regulations: This material is listed or exempted.

United States Inventory:

(TSCA 8b)

This material is listed or exempted.

Section 16. Other information

Issuing Date: 2015 August 17th
SDS Revision Date: 2023 November 15th

Revision Note: Date Extension- Review Completed

This safety data sheet compiles with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EU) No. 1907/2006

General Disclaimer

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, **SAVANTECH or Savant, Inc.** extend no warranties, make no representations and assume no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

End of Safety Data Sheet